

# WordTemplate.SetRepeatBlock(Object(), String(), String, Int32, Boolean)

## Description

Sets the specified repeat block's data source to a jagged array (array-of-arrays) of objects.

### C#

```
public void SetRepeatBlock(System.Object[][] jaggedArray, System.String[] columnNames, System.String bookmark, int maxRows, boolean transpose)
```

### vb.net

```
Public Sub SetRepeatBlock(ByVal jaggedArray As Object(), ByVal columnNames As String(), ByVal bookmark As String, ByVal maxRows As Integer, ByVal transpose As Boolean)
```

## Parameters

### jaggedArray

An jagged array of objects to use as a data source. the first dimension corresponds to row and the second to column (that is, Object[row][column]). WordWriter will insert these values in the repeat block's merge fields.

### columnNames

A string array of data source field names. These must be the same as the corresponding merge field names in the template.

### bookmark

The bookmark name of the template repeat block. The bookmark passed to `SetRepeatBlock` must exist in the template Word file. To see a list of template bookmark names:

1. Open the template in Microsoft Word.
2. Open the **Edit** menu.
3. Select **Go To...**.
4. Select **Bookmark**.
5. Under **Enter bookmark name**, open the drop-down list of bookmark names.

### maxRows

Specifies the maximum number of repetitions to write to the file. If Next fields are enabled (see `EnableNEXTFields`), then the number of rows imported from the data source is `maxRows * (numberOfNextFields + 1)`. If Next fields are not enabled the number of rows imported is equal to the number of repetitions written out. To write the maximum rows available, use the constant `WordTemplate.ALL_ROWS`.

### transpose

If transpose is set to `true`, the array is treated as `Object[column][row]`. If transpose is set to `false`, the array is treated as `Object[row][column]`.

## Exceptions

### ArgumentNullException

`SetRepeatBlock` will throw this exception if `null` (C#) or `Nothing` (VB.NET) is passed to the method.

### ***ArgumentException***

Introduced in build 8.4

### ***SAException***

`SetRepeatBlock` will throw this exception if the bookmark has been set to be removed.

## **Remarks**

A repeat block is a fragment in the template document that will be repeated for each row in a data source. In the template document, repeat blocks are defined by Word bookmarks that contain merge fields.

You can call `SetRepeatBlock` several times for a single instance of `WordTemplate`. The repeat block specified by the parameter `bookmark` must exist in the template.

If you pass an empty data source to `SetRepeatBlock` `WordWriter` will not include the specified repeat block in the generated Word file.

Not all Word features can be included in a repeat block:

`$body`

Supported in Repeat Blocks	Not Supported in Repeat Blocks
<ul style="list-style-type: none"><li>• Character Formatting (everywhere)</li><li>• Paragraph Formatting (Alignment, Outlines, Indent, Spacing, Page Break before, Keep Together)</li><li>• Multiple Columns (2, 3, Column Breaks)</li><li>• Borders and Shading</li><li>• Tabs</li><li>• Bullets</li><li>• Numbering (numbering not reset, it is continued from one repeat block to another)</li><li>• Page Breaks</li><li>• Section Breaks</li><li>• Auto Text Field</li><li>• Hyperlink</li><li>• Pictures</li><li>• Table Row Repeat (entire row only)</li><li>• Fields (with some restrictions)</li></ul>	<ul style="list-style-type: none"><li>• Nested repeat blocks (Only one data source may be assigned to a single repeat block.)</li><li>• Overlapping bookmarks</li><li>• Comments</li><li>• Drawing Objects</li><li>• Text Boxes</li><li>• Footnote and endnote references</li><li>• Table and picture indexes</li><li>• Single cell in a table</li><li>• Smart tags (smart tags will be removed from the document)</li><li>• Repeat blocks in headers, footers, footnotes, comments, text boxes, etc.</li></ul>

`$body`

## **Examples**

## C#

```
//--- A 2-D jagged array of values
//--- This is a "transposed" array with columns in the first
//--- dimension and rows in the second
string[][] ValuesArr = new string[][] {
    new string[] {"Boston", "Miami", "Merchantville"},
    new string[] {"MA", "FL", "NJ"}
};

//--- Names array, elements correspond to merge field names
string[] NamesArr = {"City", "State"};
WordTemplate wt = new WordTemplate();
wt.Open("template.doc");

//--- Set the repeat block defined by the bookmark "Block"
//--- The data source is the 2-D rectangular ValuesArr array
//--- MaxRows is set to ALL_ROWS, which allows all rows to be imported
//--- Transpose is true to handle the transposed array
wt.SetRepeatBlock(ValuesArr, NamesArr, "Block",
    WordTemplate.ALL_ROWS, true);
wt.Process();
wt.Save("out.doc");
```

## vb.net

```
'--- A 2-D jagged array of values
'--- This is a "transposed" array with columns in the first
'--- dimension and rows in the second
Dim ValuesArr()() As String = { _
    New String() {"Boston", "Miami", "Merchantville"}, _
    New String() {"MA", "FL", "NJ"} _
}

'--- Names array, elements correspond to merge field names
Dim NamesArr As String() = {"City", "State"}
Dim wt As New WordTemplate()
wt.Open("template.doc")

'--- Set the repeat block defined by the bookmark "Block"
'--- The data source is the 2-D rectangular ValuesArr array
'--- MaxRows is set to ALL_ROWS, which allows all rows to be imported
'--- Transpose is true to handle the transposed array
wt.SetRepeatBlock(ValuesArr, NamesArr, "Block", _
    WordTemplate.ALL_ROWS, True)
wt.Process()
wt.Save("out.doc")
```