

SeriesCollection

Description

The `SeriesCollection` class contains the set of data series in a given chart.

C#

```
[DefaultMember("Item")]
public sealed class SeriesCollection : System.Collections.Generic.IEnumerable<Series>
```

vb.net

```
<DefaultMember("Item")> _
Public NotInheritable Class SeriesCollection
    Implements System.Collections.Generic.IEnumerable(Of Series)
```

Remarks

To return a `SeriesCollection` object, use [Chart.SeriesCollection](#).

A `SeriesCollection` is made up all of the series in a chart. These series may be of the same type or a different type from the chart itself; a chart may contain series of multiple [ChartTypes](#) on different axes. However, not all series configurations are valid.

Surface, bubble, and 3D series may not be combined on a chart with series of a different [ChartCategory](#). For example, a Bubble chart may contain both 2D and 3D Bubble series, but may not contain any Line series. Similarly, a 3D Area chart may contain 3D area series, but may not contain any other series types. Additionally, these chart types may not have any series on the Secondary axis.

Pie, Doughnut, Bar, and Radar charts can be combined with series of other chart categories, but only if the other series is on a different axis. For example, a bar series on the primary axis can be in the same chart as a column series on the secondary axis, but it cannot be in the same chart as a column series on the primary axis.

If you attempt to create a series that would violate these constraints, or change a series configuration such that these constraints would no longer be followed, then an `ArgumentException` will be thrown.

A last consideration is that for all series types except for Bubble and Pie series, series within the same [ChartCategory](#) cannot coexist on the same axis. If you add a series to an axis that already has series of the same [ChartCategory](#) but different [ChartType](#), the existing series will be converted to the new `ChartType`. For example, if you have a `StandardLine` series on the primary axis, and you create a new `StackedLine` series on the primary axis, both series will now be `StackedLine` series. If you had added it to the secondary axis, however, then you would have one `StandardLine` series on the primary axis, and one `StackedLine` series on the secondary axis.

Properties

Name	Description
CategoryData	Sets or Returns a formula referencing a range of cells (e.g. "A1:A5"). The values in these cells are used for the labels on the primary category (x) axis of the chart. For scatter and bubble charts, this property will return an empty string. To get the values used on the horizontal axis for a scatter or bubble series, use Series.ScatterValues instead.
Count	Returns the number of data series in the collection.

SecondaryCategoryData	Sets or Returns a formula referencing a range of cells (e.g. "A1:A5"). The values in these cells are used for the labels on the secondary category (x) axis of the chart.
-----------------------	---

Indexers

Name	Description
Item(Int32)	Returns the Series at the specified index.

Methods

Name	Description
CreateSeries(Area)	Creates a new Series that is automatically added to the SeriesCollection . The series will be plotted on the primary axis, and its type will be the chart's ChartType .
CreateSeries(Area, ChartType, AxisType)	Creates a new Series that is automatically added to the SeriesCollection .
CreateSeries(Range)	Creates a new Series that is automatically added to the SeriesCollection . The series will be plotted on the primary axis, and its type will be the chart's ChartType .
CreateSeries(Range, ChartType, AxisType)	Creates a new Series that is automatically added to the SeriesCollection .
CreateSeries(String)	Creates a new Series that is automatically added to the SeriesCollection . The series will be plotted on the primary axis, and its type will be the chart's ChartType .
CreateSeries(String, ChartType, AxisType)	Creates a new Series that is automatically added to the SeriesCollection .
GetEnumerator()	Returns an IEnumerator for the SeriesCollection of a Chart
Remove(Int32)	Removes the specified Series from the collection.
Remove(Series)	Removes the specified Series from the collection.