

ExcelTemplate.BindData

Overload	Description
<code>BindData(Object(), String(), String, DataBindingProperties)</code>	Sets a two-dimensional - possibly jagged - array of objects as a template data source.
<code>BindData(Object(), String(), String, DataBindingProperties)</code>	Sets a rectangular array of objects as a template data source.
<code>BindData(System.Data.IDataReader, String, DataBindingProperties)</code>	Sets an ADO.NET IDataReader as a data source to bind to template data markers.
<code>BindData(System.Data.DataSet, String, DataBindingProperties)</code>	Sets an ADO.NET DataSet as a data source to bind to template data markers.
<code>BindData(System.Data.DataTable, String, DataBindingProperties)</code>	Sets an ADO.NET DataTable as a data source to bind to template data markers.
<code>BindData(System.Collections.Generic.IEnumerable, String, DataBindingProperties)</code>	Sets an IEnumerable<T> as a data source to bind to template data markers.

SharePoint Integration Extension Methods

Overload	Description
<code>BindData(Microsoft.SharePoint.SPView, Microsoft.SharePoint.SPList, String, DataBindingProperties)</code>	Sets a SharePoint View as a template data source.
<code>BindData(Microsoft.SharePoint.SPList, String, DataBindingProperties)</code>	Sets a SharePoint List as a template data source.