

DataBindingProperties.MaxRowsToImport

Description

Sets or returns the maximum number of rows to be bound to the template file when the [PowerPointTemplate.BindData](#) method is called. For example, if a data set contains 100 rows of data, but `DataBindingProperties.MaxRowsToImport` is set to 25, only 25 rows of data will be imported.

The default value is `DataBindingProperties.MaxRowsToImport` is -1 to indicate that all rows of data should be imported from the data source.

C#

```
public int MaxRowsToImport{ get; set; }
```

vb.net

```
Public Property MaxRowsToImport() As Integer
```

Remarks

Any rows in the data source after the [MaxRowsToImport](#) value will not be added to the template.

`MaxRowsToImport` is a **Read/Write** property.

Examples

C#

```
DataBaseindingProperties dbp = pptt.CreateDataBaseindingProperties();  
    dbp.MaxRowsToImport = 20;  
    pptt.BindData(valuesArray, colNamesArray0, "DataSource", dbp);  
    pptt.Save(Page.Response, "output.pptx", false);
```

vb.net

```
Dim dbp As DataBaseindingProperties = pptt.CreateDataBaseindingProperties()  
    dbp.MaxRowsToImport = 20  
    pptt.BindData(valuesArray, colNamesArray, "DataSource", dbp)  
    pptx.Save(Page.Response, "output.pptx", False)
```