

WordTemplate.SetMailMerge(System.Collections.IEnumerator)

Description

Sets the MailMerge's data source to a two-dimensional (rectangular) array of objects. A MailMerge by default treats the page content as a repeat block, repeating the page content for each row unless NEXT fields are used. If the [WordTemplate.EnableNEXTFields](#) property is set to true, the NEXT field can also be used to indicate that the next row of data should be inserted instead of the current row at the next occurrence of the merge fields. This should largely imitate the behavior of a Microsoft Word Mail merge.

C#

```
public void SetMailMerge(System.Collections.IEnumerator dataSource)
```

vb.net

```
Public Sub SetMailMerge(ByVal dataSource As System.Collections.IEnumerator)
```

Parameters

dataSource

An IEnumerator collection to use as a data source.

Exceptions

ArgumentNullException

[Save](#) will throw this exception if `null` (C#) or `Nothing` (VB.NET) is passed to the method.

ArgumentException

Remarks

You can call [SetMailMerge](#) once for each instance of [WordTemplate](#). If you are using the Word 2003 binary template file type (.doc/.dot), you can call [SetMailMerge](#) or [SetRepeatBlock](#), but not both.

Additionally, only the page content is repeated for each row, not the entire page itself. If you wish to have the page itself repeat for each row, you will need to remember to place a page break at the bottom of the page. Alternatively, you can create a hidden page break at the top of the page as follows:

- Put the cursor at the top of the document
- Go to Page Layout and open the paragraph formatting dialog
- On the Line and Page Breaks tab, select "Page Break Before"

Merge Fields for using the [SetMailMerge](#) method must not specify a data source – the data source is implied, and using a data source name will cause [WordTemplate](#) to throw an error. Valid merge field formats for use with [SetMailMerge](#) include field names (**«fieldname»**) and field ordinals (**«#1»**).

Introduced in build 8.2

[SetMailMerge](#) will now work with headers and footers. A section break is required instead of a page break if each header or footer will be different.

Examples

C#

```
wt.SetMailMerge(coll);
```

vb.net

```
wt.SetMailMerge(coll)
```