

Series

Description

A [Series](#) object represents a single data series in a chart. To return a [Series](#) object, use one of the [SeriesCollection.CreateSeries](#) methods.

C#

```
[DefaultMember("Item")]  
public sealed class Series
```

vb.net

```
<DefaultMember("Item")> _  
Public NotInheritable Class Series
```

Properties

Name	Description
AxisType	If the chart contains two X or Y axes, AxisType sets or returns whether the series is associated with the primary or secondary axis.
BubbleSizes	<p>Sets or returns a range formula that determines the size of the bubbles in a bubble chart.</p> <p>Bubble size is a way to illustrate a z-dimension on a chart. Every element in the series should have its own bubble that will be plotted on the graph. To give the bubble a numeric size, this method requires you to select a range of numeric values.</p> <p>The output size of the bubbles will be a ratio between the smallest and largest bubble size values. For example, if the bubble sizes are 20, 20, and 20, all the bubbles will be the same size. However, if the values are 100, 2, and 1, the first bubble will be very large, the third extremely small, and the second two times as large as the third.</p>
ChartType	Sets or returns the ChartType the series is displayed as.
DataLabels	Returns a SeriesDataLabel object for formatting series data labels.
DataPointMarker	Returns a DataPointMarker object representing the data markers of a line, radar, or scatter series.
ErrorBarX	Returns an ErrorBar object representing the horizontal error bars for the series.
ErrorBarY	Returns an ErrorBar object representing the vertical error bars for the series.
HasShadow	Sets or returns whether the series will be displayed with a shadow effect.
HasSmoothedLine	Sets or returns returns whether data points in a line, scatter, or radar chart are connected by smoothed lines, or whether the data points are connected by straight lines.
Interior	Returns a ChartInterior object, representing the area of the data series.

LegendEntryFont	Sets or returns the Font object for the series legend entry.
Line	Returns a ChartLine object representing either the border around the series - for most chart types - or the series line itself, for line charts.
Name	Sets or returns the name of the series. See also Series.NameFormula .
NameFormula	Sets or returns the formula containing the name of the series. See also Series.Name .
ScatterValues	Sets or returns the range of cells containing the x-values of a scatter or bubble chart data series.
SettingsBarColumn	Returns a SettingsBarColumn object representing the series properties unique to bar and column charts.
SettingsLineAreaScatter	Returns a SettingsLineAreaScatter object representing the series properties unique to line, area, and scatter charts.
SettingsPieDoughnut	Returns a SettingsPieDoughnut object representing the series properties unique to pie and doughnut charts.
ShowLegendEntry	Sets or returns whether the legend entry for this series will be shown.
Trendlines	Returns the Trendlines collection for the series. A trendline graphically shows trends in a data series, such as increased sales over a period of months.
Values	Sets or returns the range of cells containing the values of a chart data series.
VaryColorsByPoint	Sets or returns whether colors will be different for each data point in the series.

Indexers

Name	Description
Item(Int32)	Returns the DataPoint object at the specified 0-based index.

Methods

Name	Description
ChangeConfiguration(ChartType, AxisType)	Changes the ChartType and AxisType of the series at the same time.